


NMG NIPRAS
METAL GROUP

رؤية
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

شركة مجموعة نبراس المعادن المحدودة
NIPRAS METAL GROUP COMPANY Ltd.



DATASHEET BINDING WIRE





شركة نبراس المعدن للصناعة NIPRAS METAL INDUSTRY Co.

Introduction

NIPRAS METAL GROUP (NMG)

- Established in the year 2010 with high quality Manufacturing & Trading expertise with 3 companies under the umbrella -

1. NIPRAS METAL INDUSTRY COMPANY (NMIC)
2. NIPRAS METAL TRADING COMPANY (NMTC)
3. NIPRAS METAL CONTRACTING Est. (NMCE)

We are a Saudi based company with our team in major cities across the kingdom with our headquarters in RIYADH providing the best & professional solutions in construction & architectural industry. Intuitive creativity, precise technical assistance and reputed interest in our client marked us as one of the leading Industries throughout the KINGDOM and other GCC countries.

We have a plan to build the successful businesses for today's economy. We aim at manufacturing our products to not only have a beautiful appearance, but also that the customers perceive something of great intrinsic value when they touch it. We constantly strive to create future products that will stimulate the customer's senses to bring about joy and excitement each time the product is used.

Our success will be validated when the end users use the product and "their heart leaps for joy" and "they are deeply moved". We will create a future without limits through valued manufacturing. We will be responsible for planning, development, and manufacturing and be considered as the only manufacturer of its kind. We have earned great respect as a manufacturer and trader by serving the best to our valued customers.

1. Accountability

We accept responsibility for our work products and services. Upholding the highest standards evaluating for measuring our results against stated performance for our work with relevance, credibility and timelessness.

2. Teamwork

Our success depends on working together and fostering an inclusive and mutually supportive environment.

Our work-friendly for environment encourages collaboration, innovation, flexibility and figure the integration of resources.



Our Strength Factors

3. Communication

We clarify expectations up front and communicate openly, honestly and accurately. We look for ways to improve our ways and for our work products by seeking giving and use both praise and constructive feedback.

4. Respect

We promote diversity and equal opportunity throughout other organizations. We value and respect the views of our clients.



BINDING WIRE

Black Annealed Tying Wire

Tying wire is used for connecting loose rebar on-site to prevent any movement of the reinforcement during pouring and curing-soft and malleable and can be bent, twisted and tied. Available in 16 gauge or 17 gauge, and is supplied as a standard coil or in 2kg mini coils (16g only)

Product Code	Product Description	Gauge	Coil Size (kg)
N-03101BLA16	Black Annealed Tying Wire	16	12kg
N-03101BLA17	Black Annealed Tying Wire	17	12kg
N-03101BLA162	Black Annealed Tying Wire	2	2kg



Stainless Steel Tying Wire

Stainless Steel Tying Wire is used where there is a risk of wire off-cuts being left on the formwork and causing staining on the surface of the concrete. It is available in standard 20 kg coils or 2kg mini coils

Product Code	Product Description	Gauge	Coil Size (kg)
N-03304STK18	Stainless Steel Tying Wire	18	20kg
N-03304STA182	Stainless Steel Tying Wire	18	2kg



BINDING WIRE

Galvanized Iron Tying Wire



G.I. wire is manufactured from low carbon steel through drawing and electro-galvanizing. It is commonly used for binding reinforcement steel in the construction industry. To achieve secured binding requirements, NMTC provides a wide selection of gauges, ranging from SWG8 to BWG20. For easy and efficient application, the BWG20 G.I. wire is supplied in precut lengths of 300mm, 350mm, 400mm and 500mm.

Coil Wire



DESCRIPTION	DIAMETER	FINISH	TENSILE STRENGTH
SWG8 Wire	4.06mm	Galvanised/Self Color	350-380 N/mm ²
SWG10 Wire	3.25mm		
SWG12 Wire	2.64mm		
SWG14Wire	2.03mm		
SWG20 Wire	0.89mm		
SWG16 Wire	1.63mm		

BINDING WIRE

Pre-Cut Wire



DESCRIPTION	LENGTH	FINISH	TENSILE STRENGTH
BWG20 Wire	300mm	Galvanised/Self Color	350-380 N/mm ²
	350mm		
	400mm		
	500mm		

NMG NIPRAS
METAL GROUP


شركة مجموعة نبراس المعادن المحدودة
NIPRAS METAL GROUP COMPANY Ltd.

Contact Us:

 Tel : +966 570998080

 info@nipras.sa

 www.nipras.sa

 6353 Al Musafat area P.O
Box:236300 Al Riyadh 14543.

